e

	Application No.	Applicant(s)
Notice of Allowability	10/606,735	SAKAKIBARA, KAORU
	Examiner	Art Unit
	Brian K. Kauffman	3765
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 21 September 2005.		
2. The allowed claim(s) is/are <u>1-16</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 17 11 11 11 15	
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	e "
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stateme	nt of Reasons for Allowance
	9.	
·		

Application/Control Number: 10/606,735

Art Unit: 3765

Claims 1-16 are allowed.

The following is an examiner's statement of reasons for allowance:

Claims 1-9 and 15 are allowed because claims 1 and 15 specifically require that the sewing apparatus comprise a cassette mount to which a thread cassette, while in a closed state, holding the needle thread used in the sewing mechanism is detachably attached.

Claims 10-13, and 16 are allowed because claim 10 specifically requires an informing unit supplying information about a sewing work to a user.

Claim 14 is allowed because it specifically requires a thread cassette with a determination portion provided so as to be opposed to a detecting portion of the sewing mechanism when attached to the sewing machine, the determination portion being designed so that a correspondence between the determination portion and the detecting portion is fulfilled according to a type of a needle thread held by the thread cassette, wherein a determining unit provided in the sewing mechanism is capable of determining a type of a needle thread based on the fulfilled correspondence.

Claim 15 is allowed because

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

BK 10/25/05

JOHIO). CALVERT SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700

Page 2